## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## LISTING OF CLAIMS:

 (currently amended) An electric double layer capacitor, comprising: having

electrodes which include activated carbon particles, and a binder binding said activated carbon particles, and an electrolytic solution

wherein a density of said electrodes is in the range of 1.4 g/cm3 to 1.8 g/cm3.

- 2. (original) The electric double layer capacitor as claimed in claim 1, wherein a specific resistance of said electrodes is in the range of 2.0 $\Omega$ cm to 7.0 $\Omega$ cm.
- 3. (original) The electric double layer capacitor as claimed in claim 1, wherein an averaged diameter of said activated carbon particles is in the range of 5 micrometers to 13 micrometers, and a particle size distribution thereof is in the range of 2 micrometers to 20 micrometers.
- 4. (original) The electric double layer capacitor as claimed in claim 1, wherein said binder contains a fluorocontaining polymer.

- 5. (original) The electric double layer capacitor as claimed in claim 1, wherein said binder contains polyvinylidene fluoride.
- 6. (original) An electric double layer capacitor comprising:

a separator;

a pair of electrodes separated by said separator, and said electrodes including activated carbon particles and a binder binding said activated carbon particles; and

a pair of collectors separated by said pair of electrodes,

wherein a density of said electrodes is in the range of 1.4 g/cm3 to 1.8 g/cm3.

- 7. (original) The electric double layer capacitor as claimed in claim 6, wherein a specific resistance of said electrodes is in the range of 2.00cm to 7.00cm.
- 8. (original) The electric double layer capacitor as claimed in claim 6, wherein an averaged diameter of said activated carbon particles is in the range of 5 micrometers to 13 micrometers, and a particle size distribution thereof is in the range of 2 micrometers to 20 micrometers.
- 9. (original) The electric double layer capacitor as claimed in claim 6, wherein said binder contains a fluorocontaining polymer.

Application No. 10/066,693
Reply to Office Action of November 18, 2003
Docket No. 8013-1005

- 10. (original) The electric double layer capacitor as claimed in claim 6, wherein said binder contains polyvinylidene fluoride.
- 11. (original) An electrode including:
   activated carbon particles; and
   a binder binding said activated carbon particles,
   wherein a density of said electrodes is in the range of
  1.4 g/cm3 to 1.8 g/cm3.
- 12. (original) The electrode layer capacitor as claimed in claim 11, wherein a specific resistance of said electrodes is in the range of 2.0 $\Omega$ cm to 7.0 $\Omega$ cm.
- 13. (original) The electrode as claimed in claim 11, wherein an averaged diameter of said activated carbon particles is in the range of 5 micrometers to 13 micrometers, and a particle size distribution thereof is in the range of 2 micrometers to 20 micrometers.
- 14. (original) The electrode as claimed in claim 11, wherein said binder contains a fluoro-containing polymer.
- 15. (original) The electrode as claimed in claim 11, wherein said binder contains polyvinylidene fluoride.
- 16. (new) The electric double layer capacitor as claimed in claim 1, wherein the electrolytic solution is impregnated into the activated carbon particles.

- 17. (new) The electric double layer capacitor as claimed in claim 1, wherein a density of said electrodes is in a range of 1.4  $g/cm^3$  to 1.8  $g/cm^3$ .
- 18. (new) The electric double layer capacitor as claimed in claim 17, wherein a specific resistance of said electrodes is between 2.0 $\Omega$ cm to 7.0 $\Omega$ cm.
- 19. (new) The electric double layer capacitor as claimed in claim 1, wherein the binder bridges at least two of said activated carbon particles to inter-bind said activated carbon particles.
- .20. (new) The electric double layer capacitor as claimed in claim 1, wherein the electrodes are non-sintered.